











## Tarifs LED

Part No	Picture	Descripton	M.O.Q (PCS)	Voltage	Current Per Piece (mA)	Consumption Watts Per Piece	Number of LED	Maxium Piece of One Single	Intensity	Wave Length	Viewing Angle	Packing	Product Size	IP Rate
EL-B30R-K		Shine Piranha Bar Red 0.5Meter	100	DC12V	40mA*10	0.48W*10	3*10	10	>1200*30mcd	624 ± 3nm	>90°	White Box	15*500mm	IP54
EL-B30Y-K		Shine Piranha Bar Yellow 0.5Meter	100	DC12V	20mA*10	0.24W*10	3*10	12	>1300*30mcd	589 ± 3nm	>90°	White Box	15*500mm	IP54
EL-B30B-K		Shine Piranha Bar Blue 0.5Meter	100	DC12V	20mA*10	0.24W*10	3*10	12	>500*30mcd	465-470nm	>90°	White Box	15*500mm	IP54
EL-B30G-K		Shine Piranha Bar Green 0.5Meter	100	DC12V	20mA*10	0.24W*10	3*10	12	>1600*30mcd	520-525nm	>80°	White Box	15*500mm	IP54
EL-B30W-K		Shine Piranha Bar White 0.5Meter	100	DC12V	20mA*10	0.24W*10	3*10	12	>1800*30mcd		>90°	White Box	15*500mm	IP54
EL-B30WW-K		Shine Piranha Bar Warm White 0.5Meter	100	DC12V	20mA*10	0.24W*10	3*10	12	>1500*30mcd		>90°	White Box	15*500mm	IP54
EL-B60R-K		Shine Piranha Bar Red 1 Meter	100	DC12V	40mA*20	0.48W*20	3*20	5	>1200*60mcd	624 ± 3nm	>90°	White Box	15*1000mm	IP54
EL-B60Y-K		Shine Piranha Bar Yellow 1 Meter	100	DC12V	20mA*20	0.24W*20	3*20	6	>1300*60mcd	589 ± 3nm	>90°	White Box	15*1000mm	IP54
EL-B60B-K		Shine Piranha Bar Blue 1 Meter	100	DC12V	20mA*20	0.24W*10	3*20	6	>500*60mcd	465-470nm	>90°	White Box	15*1000mm	IP54
EL-B60G-K		Shine Piranha Bar Green 1 Meter	100	DC12V	20mA*20	0.24W*10	3*20	6	>1600*60mcd	520-525nm	>80°	White Box	15*1000mm	IP54
EL-B60W-K		Shine Piranha Bar White 1 Meter	100	DC12V	20mA*20	0.24W*10	3*20	6	>1800*60mcd		>90°	White Box	15*1000mm	IP54
EL-B60WW-K		Shine Piranha Bar Warm White 1 Meter	100	DC12V	20mA*20	0.24W*10	3*20	6	>1500*60mcd		>90°	White Box	15*1000mm	IP54
EL-B30R-F		Waterproof Piranha Bar Red (0.5M)	100	DC12V	20mA*10	2.4W	3*10	10	>1200*30mcd	624±3nm	90°	White Box	21*500mm	IP67
EL-B30Y-F		Waterproof Piranha Bar Yellow (0.5M)	100	DC12V	20mA*10	2.4W	3*10	10	>1300*30mcd	589±3nm	90°	White Box	21*500mm	IP67
EL-B30B-F		Waterproof Piranha Bar Blue (0.5M)	100	DC12V	20mA*10	2.4W	3*10	10	>500*30mcd	470-475nm	90°	White Box	21*500mm	IP67
EL-B30G-F		Waterproof Piranha Bar Green (0.5M)	100	DC12V	20mA*10	2.4W	3*10	10	>1600*30mcd	520-525nm	90°	White Box	21*500mm	IP67
EL-B30W-F		Waterproof Piranha Bar White(0.5M)	100	DC12V	20mA*10	2.4W	3*10	10	>1800*30mcd		90°	White Box	21*500mm	IP67
EL-B30WW-F		Waterproof Piranha Bar Warmwhite (0.5M)	100	DC12V	20mA*10	2.4W	3*10	10	>1500*30mcd		90°	White Box	21*501mm	IP67
EL-B60R-F		Waterproof Piranha Bar Red (1M)	100	DC12V	20mA*20	4.8W	3*20	5	>1200*60mcd	624±3nm	90°	White Box	21*1000mm	IP67
EL-B60Y-F		Waterproof Piranha Bar Yellow (1M)	100	DC12V	20mA*20	4.8W	3*20	5	>1300*60mcd	589±3nm	90°	White Box	21*1000mm	IP67
EL-B60B-F		Waterproof Piranha Bar Blue (1M)	100	DC12V	20mA*20	4.8W	3*20	5	>500*60mcd	470-475nm	90°	White Box	21*1000mm	IP67
EL-B60G-F		Waterproof Piranha Bar Green (1M)	100	DC12V	20mA*20	4.8W	3*20	5	>1600*60mcd	520-525nm	90°	White Box	21*1000mm	IP67
EL-B60W-F		Waterproof Piranha Bar White(1M)	100	DC12V	20mA*20	4.8W	3*20	5	>1800*60mcd		90°	White Box	21*1000mm	IP67
EL-B60WW-F		Waterproof Piranha Bar Warmwhite (1M)	100	DC12V	20mA*20	4.8W	3*20	5	>1500*60mcd		90°	White Box	21*1000mm	IP67

## Tarifs LED

Part No	Picture	Descripton	M.O.Q (PCS)	Voltage	Current Per Piece (mA)	Consumption Watts Per Piece	Number of LED	Maxium Piece of One Single	Intensity	Wave Length	Viewing Angle	Packing	Product Size	IP Rate
EL-R30R-SF		Crystal ribbon red(0.5meter)	100	DC12V	35mA*10	0.42W*10	3*10	10	>580*10mcd	624 ± 3nm	>120°	White Box	12*500mm	IP67
EL-R30Y-SF		Crystal ribbon yellow(0.5meter)	100	DC12V	20mA*10	0.24W*10	3*10	12	>300*10mcd	589 ± 3nm	>120°	White Box	12*500mm	IP67
EL-R30B-SF		Crystal ribbon blue(0.5meter)	100	DC12V	20mA*10	0.24W*10	3*10	12	>200*10mcd	465-470nm	>120°	White Box	12*500mm	IP67
EL-R30G-SF		Crystal ribbon green(0.5meter)	100	DC12V	20mA*10	0.24W*10	3*10	12	>520*10mcd	520-525nm	>120°	White Box	12*500mm	IP67
EL-R30W-SF		Crystal ribbon white(0.5meter)	100	DC12V	20mA*10	0.24W*10	3*10	12	>800*10mcd		>120°	White Box	12*500mm	IP67
EL-R30WW-SF		Crystal ribbon warm white(0.5meter)	100	DC12V	20mA*10	0.24W*10	3*10	12	>500*10mcd		>120°	White Box	12*500mm	IP67
EL-R180R-SF		Crystal ribbon red 3meter	100	DC12V	35mA*60	0.42W*60	3*60	2	>580*10mcd	624 ± 3nm	>120°	Reel	12*3000mm	IP67
EL-R180Y-SF		Crystal ribbon yellow 3meter	100	DC12V	20mA*60	0.24W*60	3*60	2	>300*10mcd	589 ± 3nm	>120°	Reel	12*3000mm	IP67
EL-R180B-SF		Crystal ribbon blue 3meter	100	DC12V	20mA*60	0.24W*60	3*60	2	>200*10mcd	465-470nm	>120°	Reel	12*3000mm	IP67
EL-R180G-SF		Crystal ribbon green 3meter	100	DC12V	20mA*60	0.24W*60	3*60	2	>520*10mcd	520-525nm	>120°	Reel	12*3000mm	IP67
EL-R180W-SF		Crystal ribbon white 3meter	100	DC12V	20mA*60	0.24W*60	3*60	2	>800*10mcd		>120°	Reel	12*3000mm	IP67
EL-R180WW-SF		Crystal ribbon warm white 3meter	100	DC12V	20mA*60	0.24W*60	3*60	2	>500*10mcd		>120°	Reel	12*3000mm	IP67
EL-R288R-SSF		Side Crystal Ribbon Red 3meter	100	DC12V	20mA*96	0.24W*96	3*96	1	500mcd*96	624 ± 3nm	>80	Reel	10*3000mm	IP67
EL-R288B-SSF		Side Crystal Ribbon Blue 3meter	100	DC12V	20mA*96	0.24W*96	3*96	1		465-470nm	>80	Reel	10*3000mm	IP67
EL-R288G-SSF		Side Crystal Ribbon Green 3meter	100	DC12V	20mA*96	0.24W*96	3*96	1		520-525nm	>80	Reel	10*3000mm	IP67
EL-R288W-SSF		Side Crystal Ribbon White 3meter	100	DC12V	20mA*96	0.24W*96	3*96	1	900mcd*96		>80	Reel	10*3000mm	IP67
EL-R48R-SSF		Side Crystal Ribbon Red 0.5meter	300	DC12V	20mA*16	0.24W*16	3*16	6	500mcd*16	624 ± 3nm	>80	Reel	10*500mm	IP67
EL-R48B-SSF		Side Crystal Ribbon Blue 0.5meter	300	DC12V	20mA*16	0.24W*16	3*16	6		465-470nm	>80	Reel	10*500mm	IP67
EL-R48G-SSF		Side Crystal Ribbon Green 0.5meter	300	DC12V	20mA*16	0.24W*16	3*16	6		520-525nm	>80	Reel	10*500mm	IP67
EL-R248W-SSF		Side Crystal Ribbon White 0.5meter	300	DC12V	20mA*16	0.24W*16	3*16	6	900mcd*16		>80	Reel	10*500mm	IP67
EL-R30R-CF		Flying Dragon Ribbon Red 0.5Meter	200	DC12V	15mA*10	0.18W*10	3*10	12	>650*30mcd	624 ± 3nm	>90°	White Box	15*500mm	IP67
EL-R30Y-CF		Flying Dragon Ribbon Yellow 0.5Meter	200	DC12V	15mA*10	0.18W*10	3*10	12	>350*30mcd	589 ± 3nm	>90°	White Box	15*500mm	IP67
EL-R30B-CF		Flying Dragon Ribbon Blue 0.5Meter	200	DC12V	15mA*10	0.18W*10	3*10	12	>330*30mcd	465-470nm	>90°	White Box	15*500mm	IP67
EL-R30G-CF		Flying Dragon Ribbon Green 0.5Meter	200	DC12V	15mA*10	0.18W*10	3*10	12	>950*30mcd	520-525nm	>90°	White Box	15*500mm	IP67
EL-R30W-CF		Flying Dragon Ribbon White 0.5Meter	200	DC12V	15mA*10	0.18W*10	3*10	12	>1200*30mcd		>90°	White Box	15*500mm	IP67
EL-R30WW-CF		Flying Dragon Ribbon Warm White 0.5Met	200	DC12V	15mA*10	0.18W*10	3*10	12	>1000*30mcd		>90°	White Box	15*500mm	IP67
EL-R180R-CF		Flying Dragon Ribbon Red 3Meter	100	DC12V	15mA*60	0.18W*60	3*60	2	>650*180mcd	624 ± 3nm	>90°	Reel	15*3000mm	IP67



Tel / Fax : 01.49.35.01.79  
 24 Bis rue Pierre Brossolette  
 93110 Rosny sous Bois  
 S.A.R.L au Capital de 30.000 €  
 RCS Bobigny 494 165 897

## Tarifs LED

Part No	Picture	Descripton	M.O.Q (PCS)	Voltage	Current Per Piece (mA)	Consumption Watts Per Piece	Number of LED	Maxium Piece of One Single	Intensity	Wave Length	Viewing Angle	Packing	Product Size	IP Rate
EL-R180Y-CF		Flying Dragon Ribbon Yellow 3Meter	100	DC12V	15mA*60	0.18W*60	3*60	2	>350*180mcd	589 ± 3nm	>90°	Reel	15*3000mm	IP67
EL-R180B-CF		Flying Dragon Ribbon Blue 3Meter	100	DC12V	15mA*60	0.18W*60	3*60	2	>330*180mcd	465-470nm	>90°	Reel	15*3000mm	IP67
EL-R180G-CF		Flying Dragon Ribbon Green 3Meter	100	DC12V	15mA*60	0.18W*60	3*60	2	>950*180mcd	520-525nm	>90°	Reel	15*3000mm	IP67
EL-R180W-CF		Flying Dragon Ribbon White 3Meter	100	DC12V	15mA*60	0.18W*60	3*60	2	>1200*180mcd		>90°	Reel	15*3000mm	IP67
EL-R180WW-CF		Flying Dragon Ribbon Warm White 3Meter	100	DC12V	15mA*60	0.18W*60	3*60	2	>1000*180mcd		>90°	Reel	15*3000mm	IP67